

Disclaimer	page 2
General exterior	
Ford E-450	page 3
Exterior dimensions	page 4
Curbside exterior	
Standard	page 5
With options	page 6
C1 compartment configurations	page 7
C2 compartment configurations	page 8
C3 compartment configurations	page 9
Streetside exterior	
Standard	page 10
With options S1 compartment configurations	page 11
S1 compartment configurations	page 12
S2 compartment configurations	page 13
S3 compartment configurations	page 14
Front exterior	
Standard	page 20
With options	page 21
Rear exterior	
Standard	page 22
With options	page 23
Exterior lights package	
Whelen standard series	page 24
Whelen M series	page 25
Clear lenses	page 26
Curbside interior wall	
Squad bench configuration	0.5
Standard	page 27
With options	page 28
With 6-points safety belt	page 29
With secondary patient	page 30
Mobility seat configuration	0.4
No option selected	page 31
With options	page 32
With secondary patient	page 33
Streetside interior wall	
CPR seat configuration	0.4
Standard	page 34
With options	page 35
With S3 full height	page 36
With 6-points safety belt	page 37

CPR captain chair configuration	
No option selected	page 38
With options	page 39
With S3 full height	page 40
Full cabinet configuration	, ,
No option selected	page 41
VVIIN ONLIONS	page 42
With S'3 full height	page 43
With S3 full height Front interior wall Standard	, 3
Standard	page 44
With options	page 45
Rear interior wall	, 3
Rear interior wall Standard	page 48
With options	page 47
	, ,
Standard	page 49
With options	page 50
Cot configurations	page 52
Ceiling view	, ,
Standard	page 57
With options	page 58
Front cabin console	, -
Standard	page 60
With options	page 61
With LCD touchscreen	page 62
Rear streetside console	
Standard	page 63
With options	page 64
With LCD touchscreen	page 65
Rear curbside console	
No option selected	page 66
With LCD touchscreen	page 67
Floor console details	
No option selected	page 68
With options	page 69

Demers makes every effort to maintain the accuracy and quality of the information provided in these Generic Sale Drawings. However, Demers cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided. The information contained in this catalog is for general guidance only. You should always develop your sales sheet and send to Demers for engineering validation to the feasibility of the custom options according to the specific configuration required by the customer.

Should there be any discrepancies between the sales sheet and these drawings; the sales sheet will take precedence. These drawings are subject to change by engineering during the construction process of the vehicle. Dimensional data for information only.

The copyright of all content in this catalog is owned by Demers and/or the various manufacturers of our equipment. Demers catalog in part or whole cannot be changed, reproduced, stored in or transmitted onto any website or social media without the prior written consent from Demers.





Date: Scale:

2019-07-16 rev.0 1:45 BL

Standard CHF15 Ford E450 Cutaway chassis





















The total height of the vehicle can be different according to chassis and suspensions






The rear loading height of the vehicle can be different according to chassis and suspensions








Compartment	Opening LxH	Interior dimensions L x H x D
C1	21.75" x 69.50"	23.50" x 56.75" x 32.00"
C2	29.25" x 80.75"	-
C3	20.00" x 80.75"	22.75" x 82.25" x 18.50"





Date: 2019-07-16 rev.0 Scale: 1:40 BL




Compartment	Opening LxH	Interior dimensions L x H x D
C1	21.75" x 69.50"	23.50" x 56.75" x 32.00"
C2	29.25" x 80.75"	-
C3	20.00" x 80.75"	22.75" x 82.25" x 18.50"





Standard

Standard CME11 Storage compartment (C1) for batteries and ALS compartment access




120Vac outlet (2) and 12Vdc outlet (2)

Upper red LED emergency light (1) recessed on each door panels



Standard CME11 Storage compartment (C1) for batteries and ALS compartment access





Option FBB12 ALS compartment with in/out access, two ajustable shelves, one fixed shelf and LED lighting

Option UTG12 Two red LED emergency lights recessed on each door panels






Date: 2019-1 Scale: 1:25 Designer: BL

2019-07-16 rev.0 1:25 BL


Standard

Standard CMF11 Access door (C2) with flush-mounted window



Option

Option CMF12 Access door (C2) with flush-mounted opening window









2019-07-16 rev.0 1:25 BL

Standard


Storage compartment (C3) with three Premium adjustable dividers with retaining straps






Option


Option CMG11 & CMG13
Storage compartment (C3) with stair chair location, two adjustable shelves and one full height divider


















Compartment	Opening LxH	Interior dimensions L x H x D
S1	20.25" x 65.50"	23.75" x 73.50" x 18.00"
S2	29.25" x 41.00"	32.25" x 40.75" x 13.50"
S3 - Full height	28.50" x 65.50"	31.25" x 61.25" x 16.00"
E	29.25" x 18.50"	-






2019-07-16 rev.0 1:25 BL

Standard

Standard CMA11 & OXA11


Storage compartment (S1) with universal vertical holder for main oxygen cylinder "K" or "M"



Option

Option CMA11 & OXA12

Storage compartment (S1) with hydraulic holder for vertical oxygen cylinder "K" or "M"










<u>Standard</u> <u>Option</u>

Standard CMB11 & CMB12 Storage compartment (S2) with one adjustable full depth shelf Standard CMB11 & CMB12 Storage compartment (S2) with one adjustable full depth shelf Option CMB11 & CMB13
Storage compartment (S2) with one adjustable half depth shelf and stair chair holder on door

Option













Standard

Standard CMC12 & CMC13 Storage compartment (S3) with interior/exterior access and two adjustable full depth shelves



Option CMC12 & CMC14 Storage compartment (S3) with interior/exterior access and reinforcement for spare tire










Ontion


Option CMC12 & CMC15

Storage compartment [S3] with interior/exterior access, two adjustable half depth shelves and stair chair holder on door

Option

Option CMC12 & CMC18
Storage compartment (S3) with interior/exterior access and reinforcement/anchors for two S.C.B.A.











Option CMC11 & CMC16 Full height storage compartment [S3] with three adjustable full depth shelves Standard MCA12 Medical cabinet with CPR seat



Option CMC11 & CMC16 Full height storage compartment (S3)
with three adjustable full depth shelves
Option MCA14 or MCA16
Medical cabinet with CPR captain seat or full medical cabinet




Option CMC16
Three adjustable full depth shelves






Option CMC11 & CMC15 Full height storage compartment [S3] with two adjustable half depth shelves and stair chair holder on door Standard MCA12 Medical cabinet with CPR seat



Option CMC11 & CMC15 Full height storage compartment [53] with two adjustable half depth shelves and stair chair holder on door Option MCA14 or MCA16

Medical cabinet with CPR captain seat or full medical cabinet









Option CMC11 & CMC17 Full height storage compartment [53] with two adjustable full depth shelves and reinforcement for spare tire Standard MCA12

Medical cabinet with CPR seat



Option CMC11 & CMC17 Full height storage compartment [53] with two adjustable full depth shelves and reinforcement for spare tire Option MCA14 or MCA16

Medical cabinet with CPR captain seat or full medical cabinet





Option CMC17
Two adjustable full depth shelves





Option CMC11 & CMC19 Full height storage compartment (S3) with two adjustable full depth shelves and reinforcement/anchors for two S.C.B.A. Standard MCA12 Medical cabinet with CPR seat





Option CMC11 & MCA12
The cardiac monitor cavity reduces space inside S3 compartment

Option CMC19
Reinforcement and anchors for two S.C.B.A. (S.C.B.A. not included)

> Option CMC19 Two adjustable full depth shelves


Option CMC11 & CMC19


Full height storage compartment [S3] with two adjustable full depth shelves and reinforcement/anchors for two S.C.B.A.

Option MCA14 or MCA16

Medical cabinet with CPR captain seat or full medical cabinet








Option CMC19
Reinforcement and anchors for two S.C.B.A. (S.C.B.A. not included)

Option CMC19
Two adjustable full depth shelves






Date: 2019-07-16 rev.0 Scale: 1:40 BL

















Compartment	Opening LxH	Interior dimensions L x H x D
A1 & A2	54.50" x 59.75"	-







Compartment	Opening LxH	Interior dimensions L x H x D
A1 & A2	54.50" x 59.75"	-










































Date: 2019-07-16 rev.0 Scale: 1:30 BL

Standard FTC11 Upholsery cobalt blue for protector and seat Standard FTC15 Upholsery yellow sun for entrance head protection








Date: 2019-07-16 rev.0 Scale: 1:30 BL

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection








Curbside interior wall - Squad bench - With 6-points safety belt

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -CA-	32.25" x 8.00"	33.50" x 9.50" x 8.50"






2019-07-16 rev.0 1:30 BL


Curbside interior wall - Squad bench - With secondary patient

Date: 2019-07-16 rev.0 Scale: 1:30 BL


Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Standard CDA11
The 2nd patient mounted on backboard is directly installed on squad bench seat cushion and secured by three safety belts



Option CDA15
The 2nd patient mounted on FW #107C stretcher is installed on wheel and post cups and secured three by safety belts




Option CDA16
The 2nd patient mounted on FW #9 stretcher is installed on wheel and post cups and secured three by safety belts





Curbside interior wall - Mobility seat - No option selected

Standard FTC11 Upholsery cobalt blue for protector and seat Standard FTC15 Upholsery yellow sun for entrance head protection



Compartment	Opening LxH	Interior dimensions L x H x D
Storage drawer -CC-	-	12.00" x 2.50" x 18.00"





Date: 2019-07-16 rev.0 Scale: 1:30 BL

Curbside interior wall - Mobility seat - With options

Option CDE11 & FCC18

Option CRB12 7" color touch screen console

container mobility cabinet

Trash & sharp receptacle in flip down

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection

• Option SUD12 Disposable canister for suction, Rico RS-4X Option SUD12
Suction outlet, quick connect style with regulator Option FCC17 Glove cabinet (CB) for three glove boxes and extra storage behind Flush-mounted, automotive-style window on curbside module Option UTG13 No light recessed on door panels Option CMF12 Storage cabinet (CA-2) with sliding windows and Flush-mounted, automotive-style opening window LED strip lighting CB CA-2 Option OXF11 Option CDJ15 Storage for two D oxygen cylinders with straps and protector Lower stainless steel wall protection Option CDB11 Option CDF11
Removable safety net for mobility cabinet Slide tracking system

Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -CA-	32.25" x 8.00"	33.50" x 9.50" x 8.50"
Glove cabinet -CB-	32.25" x 8.00"	29.75" x 9.50" x 4.00"
Storage drawer -CC-	-	12.00" x 2.50" x 18.00"

Premium Demers counter top

with lip on curbside cabinet






Date: 2019-07-16 rev.0 Scale: 1:30 BL

Curbside interior wall - Mobility seat - With secondary patient


e: 2019-07-16 rev.0 e: 1:30 igner: BL

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection




Option CDB15

The 2nd patient mounted on backboard is installed and secured with foldable support on cabinet, removable support on rear wall and straps



 $\frac{\text{Option CDB12}}{\text{The 2nd patient mounted on FW \#107-C is installed and secured with foldable support on cabinet, removable support on rear wall and straps}$




Option CDB13
The 2nd patient mounted on FW #9 is installed and secured with foldable support on cabinet, removable support on rear wall and straps





Streetside interior wall - CPR seat - Standard

Standard FTC11
Upholsery cobalt blue for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection








2019-07-16 rev.0 1:30 BL

Streetside interior wall - CPR seat - With options

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -SA-	41.50" x 16.00"	42.50" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SC-	24.00" x 19.25"	25.00" x 20.25" x 16.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"

^{*} This dimension is the maximum


Date: 2019-07-16 rev.0 Scale: 1:30 BL





Streetside interior wall - CPR seat - With S3 full height

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Option MCA12 & CMC11
Medical cabinet with single CPR seat in addition
to a full height storage compartment [S3]

NOTE: The combination of these two options will reduce the storage capacity inside S3 compartment

Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -SA-	41.50" x 16.00"	42.50" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"

^{*} This dimension is the maximum


Date: 2019-07-16 rev.0 Scale: 1:30 Designer: BL





Streetside interior wall - CPR seat - With 6-points safety belt

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -SA-	41.50" x 16.00"	42.50" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SC-	24.00" x 19.25"	25.00" x 20.25" x 16.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"

^{*} This dimension is the maximum






2019-07-16 rev.0 1:30 BL

Streetside interior wall - CPR captain chair - No option selected

Standard FTC11 Upholsery cobalt blue for protector and seat Standard FTC15 Upholsery yellow sun for entrance head protection



Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"
Storage cabinet -SG-	41.50" x 19.25"	42.50" x 20.25" x 16.00"

* This dimension is the maximum






2019-07-16 rev.0 1:30 BL

Streetside interior wall - CPR captain chair - With options

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"
Storage cabinet -SG-	41.50" x 19.25"	42.50" x 20.25" x 16.00"

^{*} This dimension is the maximum


Date: 2019-07-16 rev.0 Scale: 1:30 BL





Streetside interior wall - CPR captain chair - With S3 full height

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Option MCA14 & CMC11 Medical cabinet with facing forward captain chair in addition to a full height storage compartment (S3)

Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"

^{*} This dimension is the maximum


Date: 2019-07-16 rev.0 Scale: 1:30 Designer: BL





Streetside interior wall - Full cabinet - No option selected

Standard FTC11 Upholsery cobalt blue for protector and seat Standard FTC15 Upholsery yellow sun for entrance head protection



Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"
Storage cabinet -SG-	41.50" x 19.25"	42.50" x 20.25" x 16.00"

^{*} This dimension is the maximum






2019-07-16 rev.0 1:30 BL

Streetside interior wall - Full cabinet - With options

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"
Storage cabinet -SG-	41.50" x 19.25"	42.50" x 20.25" x 16.00"

^{*} This dimension is the maximum


Date: 2019-07-16 rev.0 Scale: 1:30 BL





Streetside interior wall - Full cabinet - With S3 full height

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Option MCA16 & CMC11 Full medical cabinet in addition to a full height storage compartment (S3)

Compartment	Opening LxH	Interior dimensions L x H x D
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SE-	16.50" x 54.25"	*25.50" x 57.25" x *15.75"
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"

^{*} This dimension is the maximum

Date: 2019-07-16 rev.0 Scale: 1:30 Designer: BL





MX170E-Ford Front interior wall - Standard

Standard FTC11
Upholsery cobalt blue for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection

ate: 2019-07-16 rev.0 cale: 1:30 esigner: BL

Standard FBA11 or FBA12 Access door with vents for air conditioning unit and communication system Standard FBC11 Standard FBB11 & FBB16 45° storage compartment (SE) with aluminium extruded doors, High ALS compartment (FB) with aluminium frame doors, LED strip lighting and two fixed selves one adjustable shelf, 120 Vac outlet, 12 Vdc outlet and interior/exterior access Standard CVE11 Ducted air conditioning with five directional vents Standard FBB13 Lockable compartment (FA) above ALS with aluminium frame flip-up door, Standard MCA12 Access window for main oxygen cylinder 120 Vac outlet and 12 Vdc outlet Standard BSD12 12" entry grab bar, yellow mounted inside the module Standard CVA11
Heating unit located below CPR seat

Standard CVA11

Standard FBB11 Storage drawer (FC)

Invisible heating outlet projecting below cabinet

Standard FBA13 Crawl-through with pivoting door

Compartment	Opening LxH	Interior dimensions L x H x D
Lockable compFA-	26.00" x 8.00"	26.00" x 8.00" x 13.75"
High ALS compFB-	26.00" x 22.50"	32.00" x 23.25" x 23.50"
Storage drawer -FC-	-	21.75" x 4.50" x 18.50"
Low ALS compFD-	26.00" x 22.50"	32.00" x 25.00" x 23.50"

Access panel for conversion batteries

Low ALS compartment (FD) with aluminium frame doors, one adjustable shelf, 120 Vac outlet, 12 Vdc outlet

Standard FBB11 & FBB16


and interior/exterior access





Front interior wall - With options

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection



Compartment	Opening LxH	Interior dimensions L x H x D
Lockable compFA-	26.00" x 8.00"	26.00" x 8.00" x 13.75"
High ALS compFE-	26.00" x 26.75"	32.00" x 27.25" x 23.50"
Low ALS compFF-	26.00" x 26.75"	32.00" x 28.50" x 23.50"






Date: 2019-07-16 rev.0 Scale: 1:30 BL

Date: 2019-07-16 rev.0 Scale: 1:30 BL

Standard FTC11 Upholsery cobalt blue for protector and seat Standard FTC15 Upholsery yellow sun for entrance head protection








Date: 2019-07-16 rev.0 Scale: 1:30 BL

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection








MX170E-Ford Rear interior wall - With options

Date: 2019-07-16 rev.0 Scale: 1:30 Designer: BL


Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection





late: 2019-07-16 rev.0 cale: 1:40 lesigner: BL

Standard FTC11 Upholsery cobalt blue for protector and seat Standard FTC15 Upholsery yellow sun for entrance head protection








late: 2019-07-16 rev.0 cale: 1:40 lesigner: BL

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection








Date: 2019-07-16 rev.0 icale: 1:40 BL

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection








Standard

Standard CPA11 Center mount cot configuration

Standard CPB11

Stryker rolling main cot fastener (cot not included)

Standard CPB15 Yellow safety hook




Option

Option CPA13
Center and left side mount cot configuration

Standard CPB11

Stryker rolling main cot fastener (cot not included)

Standard CPB15 Yellow safety hook




Option

Option CPA12 Left side mount cot configuration

Standard CPB11
Stryker rolling main cot fastener (cot not included)

Standard CPB15 Yellow safety hook








Date: 2019-07-16 rev.0 Scale: 1:25 Designer: BL

Option

Standard CPA11 Center mount cot configuration

Option CPB22 Stryker Performance-LOAD floor plate (no cot fastener included)


Option CPD11 Pre-wiring for Inductive Charging Feature



Standard CPA11 Center mount cot configuration

Option CPB17 Stryker Performance-LOAD cot fastener (floor plate included)

Option CPD11 Inductive Charging Feature








Date: 2019-07-16 rev.0 Scale: 1:25 Designer: BL

Option


Standard CPA11 Center mount cot configuration

<u>Option CPB23</u> Stryker Power-LOAD floor plate and pre-wiring (no cot fastener included)



Standard CPA11 Center mount cot configuration

Option CPB13
Stryker Power-LOAD cot fastener (floor plate included)







<u>Option</u>

Standard CPA11 Center mount cot configuration

Option CPB12
Ferno main cot fastener (cot not included)


Option CPB16 Yellow safety hook

Option

Option CPA13
Center and left side mount cot configuration

Option CPB12 Ferno main cot fastener (cot not included)

Option CPB16 Yellow safety hook




Option

Option CPA12 Left side mount cot configuration

Option CPB12
Ferno main cot fastener (cot not included)

Option CPB16 Yellow safety hook








Date: 2019-07-16 rev.0 Scale: 1:25 Designer: BL

Option


Standard CPA11 Center mount cot configuration

Option CPB18 Ferno Stat Trac [86"] cot fastener

Option CPD11 Integrated Charging Feature



Option CPA17 Universal floor configuration (universal anchoring plates for standard positions included, no floor cutouts & no cot fastener included)








Date: Scale: 2019-07-16 rev.0 1:40 BL

Standard FTC11 Upholsery cobalt blue for protector and seat Standard FTC15 Upholsery yellow sun for entrance head protection








Date: 2019-07-16 rev.0 Scale: 1:40 BL

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection








ate: 2019-07-16 rev.0 cale: 1:40 esigner: BL

Option FTC17
Upholsery ash grey for protector and seat
Standard FTC15
Upholsery yellow sun for entrance head protection








2019-07-16 rev.0 1:3 BL Date: Scale: Designer:

Standard CBA11 Front console with switches mounted on floor console







2019-07-16 rev.0 1:3 BL

Standard CBA11 Front console with switches mounted on floor console








Date: Scale: Designer: 2019-07-16 rev.0 1:3 BL

Option CBA14 8" color touch screen console

Note: The floor console (CBB11) must be selected to be able to select touch screen console (CBA14)








2019-07-16 rev.0 1:4 BL Date: Scale: Designer:

Standard CRA11 Rear streetside console with switches mounted on medical cabinet








Rear streetside console - With options

Standard CRA11 Rear streetside console with switches mounted on medical cabinet








2019-07-16 rev.0 1:4 BL

Date: Scale: Designer:

Rear streetside console - With LCD touchscreen

Date: 2019-07-16 rev.0 Scale: 1:4 Designer: BL

Option CRA12 7" color touch screen console mounted on medical cabinet








Rear curbside console - No option selected


Option CRB11 Auxiliary curbside console with switches mounted on wall (squad bench 2pts or mobility package) Option CRB11
Auxiliary curbside console with switches

mounted on wall (squad bench 6pts)

Date: Scale: Designer:

2019-07-16 rev.0 1:3 BL









Rear curbside console - With LCD touchscreen

Option CRB12 7" color touch screen console mounted on wall









2019-07-16 rev.0 1:3 BL

Date: Scale: Designer:

Date: 2019-07-16 rev.0 Scale: 1:8 Designer: BL

Option CBB11 Floor mounted console with cup holders (2), spare location (2) and document case











Option CBB11

Floor mounted console with cup holders (2), spare location (2) and document case









Date: 2019-07-16 rev.0 Scale: 1:8 Designer: BL